

MOBILE LIGHTING SOLUTIONS



Watch
Product Video



Visit
Corporate Website



Download
Product Brochure



Watch
Corporate Video

CONTENTS



NIGHT SCAN® PUMP-UP LIGHT MAST3



NIGHT SCAN® SPOT5



NIGHT SCAN AIR.....4



PUSH UP POLES AND TRIPODS..... 6-7



NIGHT SCAN® PUMP UP LIGHT MAST

The Night Scan Pump Up Light Mast provides a fast and affordable way to illuminate your work area. The lightweight pneumatic mast elevates quickly to full height by means of a built-in hand pump. The powerful and efficient LED lights illuminate a wide area while being powered by the vehicle. The tower quickly mounts into an optional 2" hitch receiver, tripod and/or drive-on stand.

ESSENTIAL FEATURES

- 40,000 lumens from two Night Scan X200 LED lights
- Available heights - 13 or 19 ft.
- 60 second extension time
- Mast transport bag included
- Powered from vehicle - 12 volts, 18.4 amps
- Total system weight - 80 pounds
- Tower system warranty - 2 years



OPTIONAL MOUNTING HARDWARE



Tripod with Bubble Level



2" Hitch Mount



Drive-On Stand

OPTIONAL ACCESSORIES



Cable Management

QUICK CONNECT MAST



Quick Connect Mast Unlocked



Quick Connect Mast Locked

SPECIFICATIONS

	5770801	5769501
Extended Height	13.1 ft. / 4 m	19.6 ft. / 6 m
Nested Height	4.2 ft. / 1.25 m	5.3 ft. / 1.60 m
Payload Capacity	55.1 lbs. / 25 kg	55.1 lbs. / 25 kg
Number of Sections	5	5
Tube Diameter	3.54 in. - 1.97 in. / 90 mm - 50 mm	3.54 in. - 1.97 in. / 90 mm - 50 mm
Collar Type	Friction Locking	Friction Locking
Finish	Black paint and Clear anodize	Black paint and Clear anodize

NIGHT SCAN® AIR

Portable 360° LED Scene Lighting

Brilliant LED scene lighting evenly distributed over the entire scene. Compact design, quick deployment and low power consumption makes Night Scan Air perfect for nearly any situation.

ESSENTIAL FEATURES

- Available with 24,000, 56,000, or 110,000 lumens
- 10 ft tripod included. Optional 14 ft tripod
- Full 360° illumination
- 110/220 VAC powered. Maximum 800 watts.
- Power from small generator or vehicle inverter



Cylinder LED Light



Battery Powered LED Light



110/220 VAC LED Light

Tie Down Straps

ACCESSORIES



Standard
10' Aluminum Tripod



Optional
13' Pyramid Base



Optional
14' Crank Tripod



Available
Light Trailer Conversion Kit
4000 watt HID Balloon Light

SPECIFICATIONS

LED Light Type	Watts	Total Lumens	Maximum Lighted Area ft²	Power	Light Type	Tripod	Protective Case for LED
Cylinder Light	100	12,000	10,000	110/220VAC	LED	10' Telescoping Mast	Yes
Cylinder Light	200	24,000	14,000	110/220VAC	LED	10' Telescoping Mast	Yes
Luminescent Balloon + Fan	400	56,000	25,000	110/220VAC	LED	10' Telescoping Mast	Yes
Luminescent Balloon + Fan	800	110,000	45,000	110/220VAC	LED	10' Telescoping Mast	Yes
Luminescent Balloon + Fan	200	24,000	14,000	Battery Powered (Lead Acid) Recharge 110VAC	LED	9' Four Section Interlocking Mast	Yes - Entire System

NIGHT SCAN® SPOT

nightscan spot®

The Night Scan Spot is a rotatable, remote-controlled LED light. The wireless remote allows the light to be remotely adjusted by the operator.

With a vertical tilt up of 70° and 45° tilt down and an infinite horizontal rotational range (clockwise and counterclockwise), The Night Scan Spot from Will-Burt allows for pan-tilt motion. Also equipped with a flashing alert feature, the remote-controlled LED light can be used to warn approaching motorists or pedestrians of potential hazards or help is needed. It can also be used with service vehicles to alert the on-coming vehicles there are people at work, and more.



Available in White / Black Colors




(2) Handheld Remote Controls Included

SPECIFICATIONS

Night Scan Spot	
Lumens	6,720
Operating Voltage	10 - 30VDC
Power Consumption	80W
Maximum Distance for Operating Remote Control	Up to 130 ft.
Weight	7 lbs. (3.2KG)
Remote Control Battery	(1) 23A battery
Available Colors	White / Black

ENGINEERING SPECIFICATIONS



PUSH-UP POLES AND TRIPODS

The Will-Burt Company, the experts in lighting elevation for over 25 years, introduces a new range of light poles and portable tripods.

Safe and reliable lighting is your number one priority during nighttime operations. Light poles and tripods by Will-Burt are designed to work when you need them. Constructed of corrosion resistant aluminum that is anodized, polished, and painted, they will safely elevate your lights for years.

All Will-Burt poles and tripods use heavy-duty UL approved 14 AWG cables for reliability and safety. Insulated and tough, these cables are resistant to cracking and UV damage.

Poles and Tripods built to Will-Burt's demanding standards to meet your demanding standards.

TRIPOD


ESSENTIAL FEATURES

- Extends up to 84" (213cm) from a compact 53.5" (135cm)
- Integrated handle for easy transport
- Lock operates in either direction - easy for gloved hands.
- Rugged, anodized aluminum withstands harsh environments
- Rubber feet for better grip on slick surfaces
- Simple deployment
- Internal wire 14 AWG UL approved cable can carry both AC and DC current
- Universal 3/4" NPT adapter
- Optional truck mount kit allows the tripod to be stored on the side of the apparatus and can be used as a light pole.

Model: 5578801




Telescopic Tripod Mounting Bracket




**Telescopic Tripod with Handle
Model: 5578701**

**LIGHT POLE
ESSENTIAL FEATURES**

- Lock operates in either direction – easy for gloved hands.
- Rugged, anodized aluminum withstands harsh environments
- Simple deployment
- Internal wire 14 AWG UL approved cable can carry both AC and DC current
- Universal 3/4" NPT adapter
- Includes 2" offset brackets



**Side Mount / Top Lock
/ Telescopic Pole
Model: 5579001**



**Side Mount / Bottom Lock
/ Push Pole
Model: 5578901**



PURCHASE OPTIONS

Select a pole or tripod and add your own light designed for an internal cable.

Combine a pole or tripod with a Firetech pole-mount light and we will assemble it for you.

Model	Guardian	Guardian Elite	FT-SL-15 / FT-SL-X-15	Patriot
Product Photo				
Lumens	10,000	20,500	20,000 / 'X' 28,000	DC 28,000 / AC 31,300
Voltage	DC or AC	DC or AC	DC or AC	DC or AC
Switch Option	Yes	Yes	Yes	Yes

CONTACT YOUR SALES REPRESENTATIVE TODAY



Contact Us
Complete a Contact Form

WILL-BURT NORTH AMERICA
WORLD HEADQUARTERS

401 Collins Boulevard, Orrville, OH USA 44667
Telephone: +1 330 682 7015
Mast Customer Service: +1 330 684 4000
Fax: +1 330 684 1190
Email: info@willburt.com

INTEGRATED TOWER SYSTEMS
A WILL-BURT COMPANY

2703 Dawson Road, Tulsa, OK 74110
Telephone: +1 800 850 8535
Fax: +1 918 749 8537
Email: programs@itstowers.com

WILL-BURT
GERMANY

Fischergasse 25
D-91344 Waischenfeld
Germany
Telephone: +49 9202 180
Fax: +49 9202 1811 / Email: info@willburt.com

WILL-BURT ASIA
SINGAPORE SALES OFFICE

1 Fullerton Road, #02-01 One Fullerton,
Singapore 049213
Telephone: +65 6832 5689
Fax: +65 6722 0664 / Email: info@willburt.com

WILL-BURT
UNITED KINGDOM

Unit 5b, Station Approach
Four Marks, Alton Hampshire,
GU34 5HN, United Kingdom
Telephone: +44 (0) 1403 265532
Fax: +44 (0) 1403 259072 / Email: info@willburt.com

WILL-BURT
TURKIYE

Ahi Evran OSB Mahallesi,
Nahcivan Caddesi, No: 8/2,
Sincan, Ankara 06935
Email: info@willburt.com

The Will-Burt Company, headquartered in Orrville, Ohio, USA, is the world's premier manufacturer of mobile telescoping masts, towers and pan and tilt positioners. We offer virtually every mobile payload elevation and integration solution for defense, government, first responders, cellular and mobile, broadcast, energy production and other markets. Will-Burt also offers contract manufacturing, metal fabrication, powder-coating, and rapid prototyping services. Will-Burt is an international company with offices and manufacturing in the USA, England, and Germany along with offices in Singapore and a joint venture in Turkey. All Will-Burt Company manufacturing locations are backed by a certified ISO 9001:2015 Quality Management System. Incorporated in 1918, Will-Burt is 100% employee-owned and is classified as a small business.