



▶ Visit
Corporate
Website

AMERICAS



▶ Watch
Product
Video



▶ Watch
Corporate
Video

INNOVATION ELEVATED®

RECHARGEABLE AND PORTABLE LIGHTING SOLUTIONS

The Will-Burt Company is the proud, exclusive distributor of NightSearcher rechargeable lighting products. NightSearcher was established in 1989 and has provided the world with portable rechargeable lighting solutions that are dependable, durable, and easy to use. Applications of NightSearcher products range through multiple markets including fire, law enforcement, towing, security, construction, mining, and more. All products are powered by no maintenance lithium-ion or LFP batteries providing longevity and reliability in temperatures from -4° to 140°F, as well as containing a battery management system to protect against overcharging. While NightSearcher is located in the United Kingdom, Will-Burt holds stock of core products within the United States to ensure fast delivery.



NightSearcher professional products are carefully designed and manufactured to the highest standards to ensure the reliability and durability our customers need. This is why we offer a 3-year standard warranty on all manufacturing defects and 1-year warranty on all rechargeable batteries from the date of purchase.

Will-Burt will be adding additional rechargeable lighting products to our line. We have recently taken on Pi-Lit sequential warning lights - Smart Flares. Pi-Lit combines patented communications technology with brilliant LEDs and Li-Ion rechargeable batteries that provide a safe and reliable safety system for roadside emergencies.

Additionally, Will-Burt's line of portable lighting solutions provide LED scene lighting for emergency recovery operations, towing sites, and other job sites to improve the productivity and safety of nighttime operations. The powerful and efficient LED lights illuminate a wide area while being powered by the vehicle. As added flexibility, several mounting options are available either by truck or tripod, increasing portability from site to site.



TABLE OF CONTENTS


4-5
**STRATOSTAR
115K**

6-7
**SOLARIS DUO
40K**

8-9
**MEGASTAR
20K**

10-11
**SOLARIS PRO
16K**

12-13
**TOWER PRO
10K**

14
**TWINSTAR
CONNECT 12K**

15
**WORKSTAR
CONNECT 3K**

16-17
GALAXY PRO 6K

18
**HT800RX
HEADLAMP**

19
**LIGHTWAVE 520
HEADLAMP**

20
**UV365-AA
FLASHLIGHT**

21
**MAGNUM 11600
FLASHLIGHT**

22
**EXPLORER XPL-C
FLASHLIGHT**

23
**SAFATEX RA
RIGHT-ANGLE
LIGHT**

24
THOR CONNECT

25
**LIFEGUARD
SAFETY LIGHT**

26
**ISPECTOR UBL
UNDER-HOOD
LIGHT**

27
**STAR BOOSTER
EMERGENCY CAR
STARTER KIT**

28-29
**LED HAZARD
WARNING LIGHTS**

30-31
**PUSH POLES AND
TRIPODS**

32-35
SPORTSTAR 20K

RECHARGEABLE AND PORTABLE LIGHTING SOLUTIONS

- 4 Light heads: 115,000 total lumens
- 360° lighting or adjusted to one direction
- 41,441 ft.² / 3850 m² light beam coverage
- Extends up to 13 ft. / 4m
- Fast, safe, one person deployment
- IP67 Rated
- Winch tripod extends up to 13 ft. / 4m
- Indoor or outdoor use
- Power bank to charge your phone
- Robust high impact aluminum housing for LEDs

Supplied with:

Battery Powered Version


4 LED Light Heads | Protective bags |
Battery pack | Tripod | AC charger

AC Powered Version

4 LED Light Heads | Protective bags |
Tripod | AC Power Supply

Optional Accessories:

Heavy-duty Ground Anchors
[15.8 in. / 400 mm]: xxxxxxxxxx



STRATOSTAR 115K

Rechargeable or AC Powered Multi-Directional Tower Light

StratoStar 115K	Battery Powered	AC Powered
Lumens	115,000	115,000
Beam Distance [ft. ² / m ²]	Up to 41,441 / 3850	Up to 41,441 / 3850
Run Time	3 to 48 Hours	Operate from AC
Mode	High / Medium / Low / Dimmable	High / Medium / Low / Dimmable
Power Source	30Ah LifePO4 Li-ion, 1540Wh	110 – 240 AC
Charging Time	8 Hours	N/A
Ingress Protection	IP67 [without powerbank] / IK08	IP67 [without powerbank] / IK08
Dimensions	Light Head: 17.2 x 11.4 / 438 / 290	Light Head: 17.2 x 11.4 / 438 / 290
Weight	Light Head: 28 / 12.7	Light Head: 28 / 12.7
	Tripod: 31.5 / 14.3	Tripod: 31.5 / 14.3
	Battery Pack: 48.5 / 22	N/A
Code	11168101	11168201



Fully adjustable light heads with front facing or 360° lighting



45° angle adjustment



Built in cable wrapping system for tidy storage




Built-in level gauge



Extends up to 13 ft. / 4m



Robust aluminium & steel tripod with hand winch and safety locks



Power bank to charge your phone



Light head is supplied in a protective case

Supplied in protective carry bags with carry handle and shoulder straps



LCD programmable display:

- Light mode selection
- Runtime up to 48 hours
- Battery status by color

BATTERY POWERED OPTION

Programmable battery pack case with extendable handle and wheels



AC POWERED OPTION

Battery case capable of withstanding rough terrain





SOLARIS DUO 40K

Portable and Rechargeable Floodlight System

Supplied with:
AC charger

Optional Accessories:
Vehicle charger: 5837501

- High powered LEDs
- Portable and fast deployment
- 2 telescopic masts reaching up to 6.2 ft / 1.9m
- Swivel and tilting heads
- Built in stability legs for use on uneven ground
- Sturdy moulded insert to store parts inside
- Housed in highly robust IP67 polycarbonate case
- Battery status indicator
- Sturdy and stackable

Lumens	40,000 – 2 x 20,000 heads
Beam Distance [ft. / m]	Up to 328 / 100
Run Time	3–24 hours
Mode	High / Medium / Low / Eco
Power Source	50Ah, 754.80Wh
Charging Time	7 hours 20 min
Dimensions [in. / mm]	11 x 15 x 22.4 / 280 x 380 x 570
Weight [lb / kg]	43.4 / 19.7
Code	5837701



Extendable handle and wheels

Everything stores inside an P67 Case




Battery Status Indicator

High: Green | Medium: Amber | Low: Red



Quick lock release



Extends to 6 ft. / 1.85m

Stability Feet



MEGASTAR 20K

Rechargeable floodlight
for remote locations

Supplied with:

Light Head | Tripod | Battery Pack | Shoulder Strap
Weatherproof Bag | AC Charger

Optional Accessories:

Additional power packs for longer run times: 5837401
Vehicle Charger: 5837501 | Ground pegs: 5837601

- IP65 waterproof polyethylene case
- 1 minute setup
- Full kits fits in waterproof bag
- Illuminating remote areas where lighting is crucial
- Durable all-weather construction
- Light and easy to carry with shoulder strap
- Additional power packs are available for longer runtimes
- Extends to 12 ft / 3.7 m

Lumens	20,000
Beam Distance [ft. / m]	Up to 164 / 50
Run Time	High: 2 hours Medium: 4 hours Low: 8 hours Eco: 16 hours
Power Source	14.8V 18Ah, 266.40Wh
Charging Time	7 hours 20 min
Dimensions [in. / cm]	3 x 1.2 x 0.6 / 75 x 30 x 15
Weight [lb / kg]	9.9 / 9.5
Code	5837301

RECHARGEABLE AND PORTABLE LIGHTING SOLUTIONS

Contents of entire kit is supplied in a weatherproof bag:


Light Head | Tripod | Battery Pack | AC Charger |
Shoulder Strap | Weatherproof Bag



Hook-on tripod
bracket



Extends to 12 ft. / 3.7m



Upgraded battery pack



Stability Ground Pegs

Red / Amber / Green



Light modes operated
from battery pack

4 light modes to choose from:



High Light Mode



Medium Light Mode



Low Light Mode



Eco Light Mode



SOLARIS PRO 16K

The programmable led floodlight with a 48 hours runtime!

- High powered LEDs
- Lightweight and portable
- Fast deployment
- Extends to 6 ft. / 1.85m with built in cable to avoid trip hazards
- Built in stability legs for use on uneven ground
- 180° Swivel and tilting light head
- Lightweight Lithium-Ion batteries
- Dual optics – Spot and wide beam
- Emergency light mode

Supplied with:

AC charger | Shoulder Strap

Optional Accessories:

Vehicle charger: 5837501

Ground pegs: 5837601

Lumens	16,000
Beam Distance [ft. / m]	Up to 1640 / 500
Run Time	2.25–48 hours
Mode	Boost [Search + Flood] / Search / Flood
Power Source	14.8V 18.2Ah, 269.36Wh
Charging Time	6 hours
Ingress Protection	IP65
Dimensions [in. / mm]	20.4 x 6.1 x 8.7 / 517 x 155 x 220
Weight [lb / kg]	15.4 / 7
Code	5837801



Battery Status by:
Color | Light Mode |
Runtime Digital Selector

**LCD
Programmable
Display**




2 Battery options available

- | Dual Optics
- | Spot and Wide Beam

Flood

Spot





TOWER PRO 10K


Collapsible and rechargeable
hybrid-powered floodlight

Supplied with:
AC charger | Carry Bag

- Extends to 7 ft. / 2.2m
- 360 ft. / 110m light beam with 10,000 lumens
- Portable, collapsible design, for quick and easy to setup
- Multi-angle rotational lights
- Can be powered directly from AC charger [medium mode only]
- Floor light: Extendable feet and legs
- Reversible ground spikes
- Robust housing
- Warm white and cool white light modes
- Battery charging indicator

Lumens	10,000
Beam Distance [ft. / m]	Up to 360 / 110
Run Time	1.5–5 hours
Mode	High / Medium / Low
Power Source	14.4V 4000mAh 58Wh, Li-ion
Charging Time	4.5 hours
Ingress Protection	IP54 / IK07
Dimensions [in. / mm]	5.9 x 5.9 x 86.6 / 150 x 150 x 2200
Weight [lb / kg]	13 / 5.9
Code	5993801


Portable, collapsible design provides quick and easy setup



Supplied with carry case for easy transport




Extends to 7 ft. / 2.2m



Floor light with extendable feet and legs



Reversible ground spikes for sturdy deployment



Power bank to charge your phone

Battery charging and Status indicators

4.5 hours charging time





Lumens	12,000 – 2 x 6,000 heads
Beam Distance [ft. / m]	Up to 164 / 50
Run Time	1–8 hours
Mode	High / Medium / Low
Ingress Protection	IP54 (without battery)
Dimensions [in. / mm]	Light head: 18.7 / 6.7 x 5.5 / 475 x 170 x 140
Weight [lb / kg]	Light: 4 / 1.8 Tripod: 4.6 / 2.1
Code	5994201

TWINSTAR CONNECT 12K

Multi-Angled twin head light with power tool battery adapters

- Accepts batteries from 7 leading power tool brands
- Quick and easy to setup
- 2 x Power / Light mode switch, to turn on 1 or both light heads
- Multi-angled light heads
- 5,000 lumens of daylight illumination
- Carry handle
- Removable light head, with supplied quick release tripod

Supplied with:

4x Power tool adapters |
5.25 ft. / 1.6m Tripod: 5993901
8x Power tool adapters |
5.25 ft. / 1.6m Tripod: 5994201

Optional Accessories:

Battery Adapter [DeWalt, Milwaukee]: 5994101
Battery Adapter
[Stanley, Black & Decker]: 6030701
Battery Adapter [Makita]: 6030801
Battery adapter [Bosch]: 6030901
Carrying Bag [Red]: 6013601




WORKSTAR CONNECT 3K

Work light designed to operate from rechargeable power tool batteries

- 3 light modes - high, medium, low
- Beam Distance up to 82 ft / 25m
- Run Time - up to 16 hours
- Powerful 3,000 lumens
- Tripod mountable
- Toughened glass lens
- IP54 and IK07 shock proof Rating
- 4 X Powerful magnetic feet
- Adjustable stand with hanging hook
- Operates from power tool batteries
- Compact, fold flat design
- USB power bank

Features a hanging hook, magnetic base, and adjustable stand



Supplied with:

4 x Power Tool Adapters accepting the following battery brands:
Black & Decker | Bosch | Makita | Stanley | Dewalt | Porter | Milwaukee
[14-21V batteries not included]

Optional Accessories:

2m Tripod: 5837101

Lumens	3,000
Beam Distance [ft. / m]	Up to 82 / 25
Run Time	1.5-5 hours
Mode	High / Medium / Low
Ingress Protection	IP54
Dimensions [in. / mm]	8.9 x 3.5 x 13.4 / 225 x 90 x 340
Weight [lb / kg]	2.2 / 1
Code	5847301



GALAXY PRO 6K

6,000 Lumen rechargeable floodlight,
ideal for all environments

- Improved electronics for enhanced performance
- Rechargeable or powered directly from AC charger
- Drop tested from 8 ft. / 2.5m
- Designed for use in harsh, industrial locations
- Robust housing made from the toughest composite materials
- Charger storage compartment
- Lightweight – only 3.3 lb / 1.5kg
- IK07 Impact Protection

Lumens	6,000
Beam Distance [ft. / m]	Up to 196 / 60
Run Time	2.5–60 hours
Mode	High / Medium / Low / Dimmable
Power Source	7.4V 13.2Ah, 97.68Wh
Charging Time	8 hours
Ingress Protection	IP54
Dimensions [in. / mm]	12.2 x 13.8 x 11.2 / 310 x 350 x 285
Weight [lb / kg]	3.3 / 1.5
Code	5836501



Features Hi-Vis
reflective feet, and a
120° adjustable tilting head

Supplied with:
AC Charger

Optional Accessories:
2m Tripod: 5837101 | 3.5m Tripod: 5837001
T-Bar Bracket: 5836801
Vehicle Charger: 583690
Set of 3 Magnetic Mounts: 5836601
Single Magnet Mount: 5836701

Optional T-Bar tripod -
Provides 12,000 lumens



120° Adjustable tilting head





HT800RX

Rechargeable Head Lamp with Automatic Beam Adjustment

Supplied with:
USB Charging cable
Lithium battery

- 880 lumen with 1805 ft / 550m beam
- Distance sensor
- 180° beam angle adjustment
- Light mode memory
- Adjustable non-slip head straps
- Safety Lock: Prevents accidental power loss during storage or transportation
- Diffused side lights for low level lighting
- Optional helmet clip available



Distance Sensor
Automatic spot to flood sensor



Rear White Lights
Battery charging status Indicator
charge directly in headlamp

Lumens	880
Beam Distance [ft. / m]	Up to 1805 / 550
Run Time	2.5-169 hours
Mode	Spot + Flood / Flood (Low or High) / Spot (Low or High)
Power Source	3.7V 2600mAh, 9.62Wh
Charging Time	5 hours
Ingress Protection	IP66
Dimensions [in. / mm]	1.1 x 3.5 x 1.5 / 46 x 85 x 39
Weight [lb / kg]	0.5 / 230
Code	6001401



LIGHT WAVE 520

Rechargeable LED Head Lamp with
Dual Beam and Motion Sensor Control

Supplied with:
USB-C charging cable

Optional Accessories:
Vehicle Charger: 5837901
AC USB Charging Adapter: 5872801

- 520 lumen with 460 ft / 140m beam
- Dimmable on all light modes
- Spot to flood beam
- Battery status indicator
- Lightweight – only 96g
- Helmet mountable with clips
- Adjustable non-slip head straps

Lumens	520
Beam Distance [ft. / m]	Up to 460 / 140
Run Time	2.5–5 hours
Mode	Spot + Flood / Flood / Spot
Power Source	3.7V 1800Ah, 6.66Wh
Charging Time	3 hours
Ingress Protection	IP44
Dimensions [in. / mm]	2.6 x 1.6 x 1.9 / 65 x 40 x 47
Weight [lb / kg]	0.2 / 96
Code	5838901



UV365-AA

Compact Rechargeable Ultraviolet LED Flashlight

Supplied with:

2 x Rechargeable lithium-ion batteries
Charging Base | USB Charging Cable
12V-24V USB Vehicle Charger | Wrist Strap

Optional Accessories:

Holster: 11141801

- Heavy-duty and compact design
- Rechargeable lithium battery
- Integrated pocket / belt clip
- Type III anodized aluminum housing
- Rigid body for secure grip
- 365 nm ultra violet light for security, inspection and crime scene investigations
- 98 ft. / 30m beam length
- Runtime up to 4 hours
- Tail cap switch
- Ultra-lightweight yet durable aircraft grade aluminium body
- IP65-rated, shock-resistant

Lumens	365nm Wave length, 1,030,000uW
Beam Distance [ft. / m]	Up to 98 / 30
Run Time	3 hours
Mode	High
Power Source	2 x 18650 Li-ion batteries
Charging Time	4 hours
Ingress Protection	IP65
Dimensions [in. / mm]	6 / 1.5 / 153 x 40 Ø
Weight [lb / g]	0.41 / 185
Code	11125101



Rotational
light mode
dial

Transportation
lock

MAGNUM 11600

Ultra-Powerful, Rechargeable
Flashlight with Wide Angled Beam

Supplied with:
AC Charger | Shoulder Strap | Carry Case

Optional Accessories:
12V 2A AC Charger: 11170301
Vehicle Charger: 11170401

- Ultra wide flood beam
- Rechargeable lithium battery
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- Comfortable shoulder strap
- Battery status indicator
- Rotational light mode dial
- Transportation lock
- 38,058 ft. / 525m beam length
- Runtime of 3 to 54 hours
- Six different light modes

Lumens	11600
Beam Distance [ft. / m]	Up to 38,058 / 525
Run Time	3 to 54 Hours
Mode	Boost High Medium Low Eco Flashing
Power Source	7.4V 7800mAh, 58Wh
Charging Time	9 Hours
Ingress Protection	IP67
Dimensions [in. / mm]	10.8 / 273 x 3.7 / 95 ø
Weight [lb / kg]	2.7 / 1.235
Code	11166401



Supplied with
Red Cone for signalling

EXPLORER XPL-C

Wall or vehicle mounted rechargeable flashlight designed for professionals

Supplied with:
Li-ion Battery | Charging Station
Red Cone | USB-C Charging Cable

Optional Accessories:
Vehicle Charger: 5873901
AC USB Charging Adapter: 5872801

- 1,100 Lumens with 1968 ft / 600m beam
- Rechargeable lithium battery
- Type III hard anodised aluminum housing
- Powerful long spot beam
- Tail end button - designed for tactical use
- Battery charging indicator
- Textured body for secure grip
- IK07 shock proof
- Aircraft grade aluminium
- Ideal for domestic, security, and emergency use

Lumens	1,100
Beam Distance [ft. / m]	Up to 1968 / 600
Run Time	1-12 hours
Mode	High / Low / Flashing / SOS
Power Source	3.7V 2200Ah, 8.14Wh
Charging Time	6 hours
Ingress Protection	IP65
Dimensions [in. / mm]	4.7 x 7.5 x 2.75 / 120 x 190 x 70
Weight [lb / kg]	0.62 / 280
Code	5872701



Lumens	High: 325 Low: 140
Beam Distance [ft. / m]	High: 951 / 290 Low: 604 / 184
Run Time	High: 6.5 hours Low: 13 hours
Ingress Protection	IP54
Dimensions [in. / mm]	7.2 x 2.7 x 2.5 / 183 x 69 x 63
Weight [lb / g]	.55 / 250
Code	5838901

SAFATEX RA

Hazardous Area Right Angled Hand Lamp

- 325 Lumens with 951 ft / 290m beam
- Runs up to 13 hours
- High powered LED – CREE XP-G2
- Lockable battery compartment
- Robust polycarbonate housing
- Rubber grip and head for durability
- Pocket/Belt stainless steel clip
- Drop proof up to 3.2 ft / 1m
- Easy to use, maintenance free
- Gas pressure release valve
- Powered by 4 x AA batteries [not included]

Certifications:

Class I DIV 1&2 GRP ABCD
Class II DIV 1&2 GRP EFG
CLASS III
Temp Code: T4 IP54
File Number: 261379

IECEx: GAS:Ex ia IIC T4 Ga
Mining: Ex ia Ma
IECEx SIR 15.0062X
ATEX: Ex I M1 Ex ia l Ma
Ex II 1G Ex ia IIC T4 Ga
Sira 15ATEX2166X



Robust polycarbonate housing for external durability




THOR CONNECT

High-powered work light
designed for professionals

- 2500 Lumens with 984 ft. / 300m beam
- Up to 20 hours of light depending on the mode
- Simple push-pull of the bezel for quick adjustment of spot and flood beams
- Compatible with 12 brands of 18V-21V power tool batteries
- Compact, easy to store with 180° folding and 360° swivel functionality.
- Nylon body with IK08 impact resistance

Lumens	2,500
Beam Distance (ft. / m)	Up to 1984 / 300
Run Time	Up to 20 hours
Mode	25% / 50% / 100%
Impact Protection	IK08
Dimensions (in. / mm)	4.3 x 4.2 x 11.9 / 110 x 106 x 300
Weight (lb / kg)	2.1 / 950
Code	11141601



180° folding and
360° swiveling
light head for
easy storage and
optimal light
coverage




Supplied with:

4 x Power Tool Connectors accepting
the following battery brands:
Black & Decker | Bosch | Makita |
Stanley | Dewalt | Porter | Milwaukee

Optional Power Tool Connectors:

Metabo | Festool | Hilti
Craftsman | Stanley Fatmax



LIFEGUARD

Multifunctional Safety Light

Supplied with:
3 x AAA batteries

- 5 In 1 Emergency Kit:
 - Wide Floodlight
 - Narrow Torch
 - Red Flashing Emergency Light
 - Window Breaker
 - Belt Cutter
- 200 Lumens with 16.4 ft / 5m beam
- Runs up to 5 hours
- LED flood beam and inspection lamp
- Ultra bright 2W COB LED strip
- Strong magnetic side
- Resilient polycarbonate and ABS construction

Lumens	Floodlight: 200 Torch: 70 Flashing: 200
Beam Distance [ft. / m]	Up to 1805 / 550
Run Time	Floodlight: 2.5 hours Torch: 3 hours Flashing: 5 hours
Dimensions [in. / mm]	6.2 x 1.9 / 158 x 47.3
Weight [lb / kg]	.28 / 127
Code	5875101



Wide Floodlight



Narrow Torch



Red Flashing
Emergency Light



Window Breaker



Belt Cutter



Magnetic Side



Battery Status Indicators



Magnetic Base



Dimmable Light Mode Dial



Hanging Hooks

I-SPECTOR UBL

Under-Hood Cordless Rechargeable Light

Supplied with:
USB-C Charging Cable

Optional Accessories:
Vehicle Charger: 5837901

- Dual 180° ratcheting handles and 360° twist function to direct light exactly where you need it
- Dual hanging hooks and strong magnetic bases for hands free use
- Rechargeable and cordless via USB-C charging cable
- Tough ABS construction
- Virtually unbreakable polycarbonate lens
- White light with 5000K color temperature
- Battery status indicators

Lumens	80-1,200
Beam Distance (ft. / m)	32.8 / 10
Run Time	2 to 15 hours
Mode	Dimmable
Power Source	3.7V 4000mAh, 15Wh, Li-ion
Charging Time	4.5 hours
Ingress Protection	IP44 IK07
Dimensions (in. / mm)	1.7 x .13 x .15 / 520 x 41 x 47
Weight (lb / g)	1.1 / 480
Code	11124901



Emergency Light

Work Light

Inspection Torch



Power Bank

Entire kit fits into your glove box


Portable
Jump Starter

STAR BOOSTER

5 In 1 Emergency Car Starter Kit

- White floodlight or red warning lights
- LED battery status
- Jump lead socket
- Complete with jump leads
- Retractable carrying handle with stand and magnet
- Rechargeable lithium-ion battery
- Jump start current – 300A
- Output current (USB) 5V-1A
- Output power – MAX300A
- Fits in your pocket or glove box

	Work Light	Torch	Emergency Light
Lumens	500	300	500
Beam Distance (ft. / m)	16.4 / 5		
Run Time	4 hours	7.5 hours	75 hours
Mode	High	High	Red Flashing
Power Source	11.1V 3 x 2600mAh		
Charging Time	4 hours		
Dimensions (in. / mm)	6.5 x 3.8 / 166 x 96mm		
Weight (lb / g)	.99 / 447		
Code	11125001		


Power bank
to charge your phone

5 in 1 Emergency Car Starter Kit

- Portable Jump Starter
- Red Flashing Emergency Light
- Work light
- Inspection Torch
- Power bank

Supplied with:

Insulated jumper cables
USB cable | AC charger

MAXIMUM ENGINE SIZE



3.0L Unleaded



2.0L Diesel

Pulsar Pro

- Shock resistant plastic housing with magnetic back
- Waterproof up to 3.28 ft / 1 m
- Visible from over 3,280 ft / 1 km
- Crushproof up to 6,000 lbs. / 1361 kg
- Floats in water
- Runtime of up to 60 hours
- Red and blue colors available

Pulsar AAA

- Shockproof and magnetic housing
- Extremely robust and compact
- IP67 weatherproof rating
- Withstands weights up to 2,000 lbs.
- Fold away hanging hook
- Red, blue, green, and yellow colors available

Pulsar AAA



Pulsar Pro

Pulsar AAA

PULSAR PRO and SINGLE PULSAR-AAA LED Hazard Warning Lights

Supplied with:

Pulsar Pro: AC Adapter
Car Charger | Carrying Case
Pulsar AAA: 3 x AAA Batteries

Optional Accessories:

Pulsar Pro: Cone Mount: 5837101
Pulsar AAA: Cone Mount: 58338401

Run times for light Modes:	Pulsar Pro	Pulsar AAA
Rotate	9 Hours	52 Hours
Single Blink	60 Hours	240 Hours
SOS Rescue	14 Hours	22 Hours
Steady on Low	35 Hours	25 Hours
4 LED Lights	18 Hours	25 Hours
Quad Flash	9 Hours	120 Hours
Alternating Blinks	9 Hours	18 Hours
Steady on High	5 Hours	10 Hours
2 LED Lights	28 Hours	52 Hours
White Torch Mode	8 Hours	60 Hours

Millicandela [MCD]	Pulsar Pro	Pulsar AAA
Red	7,000	6,000
Blue	6,000	11,000
Green	–	7,000
Yellow	–	7,500

Pulsar Pro	
Ingress Protection	IP67
Operating Voltage	Case: 15 x 2.76 x 14.6 / 380 x 70 x 370 Car Charger: .9 x 4.3 / 24 x 110ø
Weight [lb / kg]	6.4 / 2.9
Charging Time	10 Hours
Power Source	700mAh 3.7V 2.59Wh
Code	Red 5 Pack: 5875201
	Blue 5 Pack: 587w5301

Pulsar AAA	
Run Time	Up to 240 hours depending on mode
Ingress Protection	IP67
Dimensions [ft. / in]	1.3 x 4.3 / 34 x 110
Weight [lb / kg]	.38 / 170
Code	Red: 5847401 Green: 5847601
	Blue: 5847501 Yellow: 5847701



Red, Blue, and Orange Flares

6 and 10 packs available in each color



Magnetic Cone Adapter

Securely mounts single or multiple flares on top or both sides of the cone



PI-LIT SMART FLARES

Sequential LED Hazard Warning Lights [6 and 10 Pack]



- Automatic synchronization of lights with no programming
- Rapid Deployment System automatically turns on lights when removed from carrying case
- Tilt sensor directs light output optimizing driver awareness
- Mode Memory saves light pattern, deployment order and activation settings for next use

- Pair Mode syncs single or multiple lights
- Battery status check with push of a button
- 20+ hour runtime and 6 hour charge time with Lithium-ion rechargeable battery
- IP66 water and dust rating
- Withstands weights up to 30,000 lbs.
- Available in 6 and 10 packs with orange, blue, or red flares
- 2-Year warranty

Run Time	20+ hour runtime (flash pattern dependent)	
Mode	4 flash patterns: 2 sequential 1 simultaneous 1 steady-burn	
Charging Time	6 hours from a completely depleted battery	
Ingress Protection	IP66	
Dimensions (in. / mm)	Flare: 4.25 x 3.5 x 1 / 108 x 89 x 25.4	
Weight (lb. / kg)	Flare: .5 / .02	
Code	Blue 6 Pack: 5873601	Blue 10 Pack: 5873501
	Orange 6 Pack: 5873401	Orange 10 Pack: 5873301
	Red 6 Pack: 5891001	Red 10 Pack: 5890901

Supplied with:

Carrying Case
DC 12/24V Vehicle Charger
AC 110/240V Wall Charger

Optional Accessories:

Cone mount [6 Pack]: 5873801
AC USB Charging Adapter: 5872801

pi·lit **SMART FLARES**

The name says it all, in order to deliver the most flexible light pole on the market, Will-Burt has designed a push-up pole that can be sized from a maximum of 65" to a minimum of 35" and configured one of eight ways in order to fit nearly any area of the truck. The pole comes with a safety sensor, when installed, can provide an alert that the pole is extended / deployed.

Order one pole and light, and simply assemble and configure as desired.

- Deployment Safety Sensor
- Lock operates in either direction - easy for gloved hands.
- Rugged, anodized aluminum withstands harsh environments.
- Simple deployment
- Universal 3/4" NPT adapter
- Includes 2" offset brackets.
- Internal wire 14 AWG UL approved cable can carry both AC and DC current.
- Easy Assembly



ADAPTABLE PUSH-UP LIGHT POLE

Capable of eight different configurations!

Configurations

- Side Mount Bottom Lock Push Pole with Sensor
- Side Mount Bottom Lock Push Pole without Sensor
- Through Mount Bottom Lock Pole with Sensor
- Through Mount Bottom Lock Pole without Sensor
- Top Lock Side Mount Pole with Sensor
- Top Lock Side Mount Pole without Sensor
- Top Lock Through Mount Pole with Sensor
- Top Lock Through Mount Pole without Sensor

**Adaptable
Push-Up Light Pole**
Side Mount |
Bottom Mount |
Top Mount |
Through-Body Mount
Model: 5862101



Safe and reliable lighting is your number one priority during nighttime operations. Light poles and tripods by Will-Burt are designed to work when you need them. Constructed of corrosion resistant aluminum that is anodized, polished, and painted, they will safely elevate your lights for years.

All Will-Burt poles and tripods use heavy-duty UL approved 14 AWG cables for reliability and safety. Insulated and tough, these cables are resistant to cracking and UV damage.

Poles and Tripods built to Will-Burt's demanding standards to meet your demanding standards.



PUSH-UP LIGHT POLES AND TRIPODS

Built to meet your demanding standards!




Telescopic Tripod Mounting Bracket
Part Number: 5578801

- Extends up to 84" / 213cm from a compact 53.5" / 135cm
- Integrated handle for easy transport
- Lock operates in either direction - easy for gloved hands.
- Rugged, anodized aluminum withstands harsh environments
- Rubber feet for better grip on slick surfaces
- Simple deployment
- Internal wire 14 AWG UL approved cable can carry both AC and DC current
- Universal 3/4" NPT adapter
- Optional truck mount kit allows the tripod to be stored on the side of the apparatus and can be used as a light pole - Part Number: 5578801


Select a pole or tripod and add your own light designed for an internal cable. Combine a pole or tripod with a Firetech pole-mount light and we will assemble it for you.

All models are equipped with DC or AC voltage and a switch option

Telescopic Pole
Side Mount | Top Lock
Adjustable from 40" to 65"
Model: 5579001



Telescopic Tripod with Handle
Part Number: 5578701



Guardian
10,000 Lumens



Guardian Elite
20,500 Lumens



FT-SL-15 / FT-SL-X-15
20,000 / 'X' 28,000 Lumens



WB 150
22,500 Lumens

 NightSearcher

SportStar

No More Limits!

20,000 lumens with
optimized light coverage

12 ft. fast deploy tripod

Water-proof rechargeable
battery system

Convenient storage bag





SPORTSTAR 20K

The Most Powerful Rechargeable Portable Sports Light

Supplied with:

Light Head | Tripod | Battery Pack | 3 Stability Ground Legs | Weatherproof Bag | AC Charger | Shoulder Strap

- Powerful 20,00 lumens light output
- 2 – 16 hours runtime
- 1 minute setup
- No planning permission required
- Floodlight operated from ground level switch
- Unique Optics for even distribution of light
- Fits in waterproof bag, light weight and compact to store
- Rechargeable lithium battery, lightweight and lasts longer
- Ground level light modes switch
- IP65 Waterproof light head and battery pack
- Durable in all weather conditions
- Includes stability ground pegs
- 12 foot air cushioned safety tripod
- Light and easy to carry with shoulder strap 21 lbs. / 9.5 kg
- Safe, silent operation, no extension cord or generator required
- Ideal for remote areas where lighting is not adequate

SportStar

Lumens	20,000
Beam Distance	Up to 164 ft. / 50m
Run Time	High: 2 hours Medium: 4 hours Low: 8 hours Eco: 16 hours
Power Source	14.8V 18Ah, 266.40Wh
Charging Time	8 hours
Ingress Protection	IP65
Dimensions	39 x 7.9 x 7.9 in. / 99 x 20 x 20mm
Weight	21 lbs. / 9.5 kg
Code	5892801

RECHARGEABLE AND PORTABLE LIGHTING SOLUTIONS



180° TILTING HEAD

Adjustable head to achieve the best light angle



Includes 3 ground pegs for extra stability



Reflective legs provide added safety



WEATHERPROOF BAG:

42.5 x 8 x 8 in. / 108 x 20 x 20cm

SOLARIS 20,000 HEAD

Unique optics specially designed to give the perfect floodlight beam with excellent light coverage.

IP65 BATTERY PACK

with hook-on tripod bracket



Flame retardant housing

Swappable battery packs for longer running times

Hook-on tripod bracket

Durable polyethylene battery case

GROUND LEVEL LIGHT MODES SWITCH



On/Off mode switch
Floodlight can be operated from ground level switch



The air cushioned tripod slows retraction rate

Extends to 12 ft. / 3.7m




MORE LIGHT COVERAGE

The SportStar's even distribution of light provides usable light covering the area of a football and soccer field, or tennis court with various combinations of SportStar light kits.


FOOTBALL FIELD

300' x 160' light coverage | 16 light kits




SOCCER FIELD

345' x 225' light coverage | 16 light kits



SINGLES TENNIS COURT: 78' x 27' | 4 or 6 light kits

DOUBLES TENNIS COURT: 78' x 36' | 6 light kits



**CONTACT YOUR SALES
REPRESENTATIVE TODAY**



Contact Us
Complete a Contact Form

**WILL-BURT NORTH AMERICA
WORLD HEADQUARTERS**

401 Collins Boulevard, Orrville, OH 44667 USA
Telephone: +1 330 682 7015
Mast Customer Service: +1 330 684 4000
Fax: +1 330 684 1190
Email: info@willburt.com

**WILL-BURT
UNITED KINGDOM**

Unit 5b, Station Approach, Four Marks,
Alton Hampshire, GU34 5HN, United Kingdom
Telephone: +44 [0] 1403 265532
Fax: +44 [0] 1403 259072
Email: info@willburt.com

**WILL-BURT INTEGRATION
ALUMA TOWER | ITS**

7750 9th Street SW,
Vero Beach, FL 32968 USA
Telephone: +1 772 567 3423 | +1 800 850 8535
Fax: +1 772 567 3432
Aluma Tower Email: info@alumatawer.com
ITS Email: programs@itstowers.com

**WILL-BURT ASIA
SINGAPORE SALES OFFICE**
1 Fullerton Road, #02-01
One Fullerton, Singapore 049213
Telephone: +65 6832 5689
Fax: +65 6722 0664
Email: info@willburt.com

**WILL-BURT
GERMANY**

Fischergasse 25
D-91344 Waischenfeld, Germany
Telephone: +49 9202 180
Fax: +49 9202 1811
Email: info@willburt.com

**CLARK MASTS
A WILL-BURT COMPANY**
18-20 Ringwood Road, Binstead,
Isle of Wight, PO33 3PA, England
Telephone: +44 [0] 1983 563691/567090
Fax: +44 [0] 1983 566643/811157
E-mail: sales@clarkmasts.com

The Will-Burt Company, headquartered in Orrville, Ohio, USA, is the world's premier manufacturer of mobile telescoping masts, towers and pan and tilt positioners. We offer virtually every mobile payload elevation and integration solution for defense, government, first responders, cellular and mobile, broadcast, energy production and other markets. Will-Burt also offers contract manufacturing, metal fabrication, powder-coating, and rapid prototyping services. Will-Burt is an international company with offices and manufacturing in the USA, England, and Germany along with offices in Singapore. All Will-Burt Company manufacturing locations are backed by a certified ISO 9001:2015 Quality Management System. Incorporated in 1918, Will-Burt is 100% employee-owned and is classified as a small business.



Disclaimer: Dimensions and weights are for reference only and are subject to change.
Please contact Will-Burt for current engineering specifications.

© March, 2025

The Will-Burt Company

ISO 9001:2015

INNOVATION ELEVATED®